



## BCD

### ITEM NO. : NTSY-B5801

- Heavy duty 840 Denier bladder material for strength and durability; 1680D nylon non-fade pack cloth.
- Quick-release integrated weight system;
- Pockets: 2 Velcro flap pockets for accessories and 2 rear trim pockets for counterbalance the front weight;
- Waist band: Adjustable cummerbund ensures snug fit at any depth;
- Shoulder strap: Adjustable shoulder straps with 1.5" quick release buckles;
- Three dump deflation system for enhanced buoyancy control in vary diving positions.



码数 SIZE	S	M	L	XL	XXL
浮力 LIFT	11KG	15.5KG	17.5KG	20.5KG	24.5KG

### ITEM NO. : NTSY-B5802

- Heavy duty 840 Denier bladder material for strength and durability; 1680D nylon non-fade pack cloth.
- Quick-release integrated weight system with click buckle sewn in the inner side of the weight bag;
- Pockets: 2 zipped pockets for accessories and 2 rear trim pockets for counterbalance the front weight;
- Waist band: Adjustable cummerbund ensures snug fit at any depth;
- Shoulder strap: Adjustable shoulder straps with 1.5" quick release buckles and large D rings for accessories;
- Three dump deflation system for enhanced buoyancy control in vary diving positions;



(Front view)



(Side view)

码数 SIZE	S	M	L	XL	XL
浮力 LIFT	12KG	16.5KG	18KG	20KG	20KG

## BACKPACK



### ITEM NO. : NTSY-AC502

- Solid and corrosion resistant;
- Adjustable waist belt with quick release buckle.



## MOUTH PIECE



- Material: food-grade silicone;
- Color available: milky white, black and transparent;
- Ergonomic shape ensure you a comfortable a relax dive.

## 1ST STAGE REGULATOR



### NTSY-F1800

- Balanced piston design;
- Dry ambient chamber;
- Thermal Insulating System(TIS);
- Anti Freeze system;
- 4 Low pressure ports and 1 High pressure port.



## 2ND STAGE REGULATOR

### NTSY-F1801(388-A)



- Adjustable 2nd stage regulator with micrometric adjustment knob for more precise control and comfort;
- Color available: black, red, green, yellow;
- Come with food-grade silicone mouthpiece and a 75-85cm hose.

### NTSY-F1801(388-B)



- Color available: black, red, green, yellow;
- Come with food-grade silicone mouthpiece and a 75-85cm hose.

### NTSY-F1803(688)



- Color available: black & blue;
- Come with food-grade silicone mouthpiece;
- Patented designed, soft flow in air and can make you feel comfortable.



## NTSY-F1802(188)



三角盖

Triangle cover



心形盖

Heart-shaped cover



纹路型盖

Grain type cover

- Color available: black, red, pink, blue, green & yellow;
- Come with food-grade silicone mouthpiece and a 75-85cm hose.
- Extremely light weight design. A latest design handy cover available.



## OXYGEN CYLINDER

NTSY-AC602

**产品参数:**

材质	34CrMo4
容量	12L
气瓶直径	180mm
气瓶高度	637mm
瓶身厚度	4.6mm
工作压力	20MPa
测试压力	30MPa
爆破压力	≥51MPa
重量	17.5KG
瓶口螺纹	3/4"管螺纹

**DESCRIPTION:**

Material	34CrMo4
Capacity	12L
Diameter	180mm
Height	637mm
Thickness	4.6mm
Service pressure	20MPa
Test pressure	30MPa
Busting pressure	≥51MPa
Weight	17.5KG
Ridwork	3/4"screw thread



NTSY-AC603

**产品参数:**

材质	铝合金 6061
容量	11.4L
气瓶直径	184mm
气瓶高度	660mm
瓶身厚度	12.2mm
工作压力	20MPa
测试压力	30MPa
爆破压力	≥45MPa
重量	17.5KG
瓶口螺纹	3/4"管螺纹

**DESCRIPTION:**

Material	Aluminum alloy 6061
Capacity	11.4L
Diameter	184mm
Height	660mm
Thickness	12.2mm
Service pressure	20MPa
Test pressure	30MPa
Busting pressure	≥45MPa
Weight	17.5KG
Ridwork	3/4"screw thread



## HYDRAULIC HOSE

NTSY-H01



With handy connectors on both ends of this hydraulic hose, one can easily fill in his tank(s).



## DIVING TORCH

NTSY-889



Material ABS Engineering rubber  
Type of battery Vast capacity battery R20U, size D  
Maximum pressure 5KG/CM2 (50 meters under water)  
Bulb 4.8V 4W Xenon bulb  
Autonomy 4 hours

NTSY-890



Material Stainless steel & ABS  
Type of battery 4 X AA batteries  
Maximum depth 50 meter underwater  
Bulb 6V 3W **LED** bulb  
Autonomy 20 hours

## DIVING MASK

NTSY-G1928



- Silicone strap, stainless steel frame & tempered glass;
- Single lense design with a drain valve.

NTSY-G1929



- Silicone strap, stainless steel frame & tempered glass;
- Single lense design, with wide vision.

NTSY-G1931



- Silicone strap, tempered glass;
- Lightweight single lense design come with a snorkel.



## DIVING CAP

NTSY-N5301



NTSY-N5302



- Material: 90%Neoprene & 10% nylon, laminated with nylon jersey double side;
- Size range: S-XL.

## DIVING BOOT

NTSY-C6813



NTSY-C6812



- Material: the vamp is laminated with nylon double sides, 90% neoprene and 10% nylon, with skid proof rubber sole design and YKK zipper;
  - Size range: 6-14.
- Material: the vamp is laminated with nylon double sides, 90% neoprene and 10% nylon and with skid proof rubber sole;
  - Size range: 6-14.



## DIVING GLOVE

### NTSY-D7801

laminated with nylon jersey double sides, 90%neoprene & 10% nylon; Skid proof design with adjustable wrist velcro.



### NTSY-D7802

laminated with nylon jersey double sides, 90%neoprene & 10% nylon; Skid proof half gloves, with adjustable wrist velcro.



### NTSY-D7803

laminated with nylon jersey double sides, 90%neoprene & 10% nylon and amara. Soft and easy don and doff with adjustable wrist Velcro.



### NTSY-D7804

laminated with nylon jersey double sides, 90%neoprene & 10% nylon; Soft and easy don and doff.



### NTSY-D7805

laminated with nylon jersey double sides, 90%neoprene & 10% nylon;Skid proof design with adjustable wrist velcro.



### NTSY-D7806

laminated with nylon jersey double sides, 90%neoprene & 10% nylon;Skid proof long gloves with adjustable wrist velcro.





## DIVING SOCK

### NTSY-N5304

- Material: laminated with nylon double sides, 90% neoprene & 10% nylon;
- Soft and comfortable, easy to don and doff.



### NTSY-N5305

- Material: laminated with nylon double sides, 90% neoprene & 10% nylon;
- Soft and comfortable, easy to don and doff;
- Skid proof design.



## FIN



## NTSY-H8822

材质(MATERIAL): 橡胶(Rubber)  
码数(SIZE RANGE): 40-41



## NTSY-H8823

材质(MATERIAL): PP & TPR  
码数(SIZE RANGE): 37-40(S/M); 41-44(M/L)



## WEIGHT BELT AND LEAD WEIGHT

### NTSY-N5304

- Material: nylon belt and stainless steel buckle;
- Regular length: 1.7M. The length can be customized.
- The belt and buckle are corrosion-resistant; lead weight can be attached according to personal weight.



### NTSY-N5305

- Material: nylon belt sewn with PU bags with stainless steel buckle;
- Specification: regular length 1.2M and 4 pockets regular design, both length and the amount of pockets can be customized and maximum 7 pockets.
- Durable and corrosion-resistant pocket design makes adding or reducing weight handy.



## NTSY-L5303

- Material: lead
- Weight: 1-2KG available.





## DIVING KNIFE



NTS-K001

Material 3Cr13;  
Coefficient of hardness HRC50-54;  
Length of the handle 12.7cm;  
length of the blade:14.5cm.

## GAUGE



### Pressure Gauge

NTS-G101

- 300 bar model adapting to 200bar and 300bar technology. Compatible with high pressure systems.
- Red zone between 50bar and 0bar for increased safety;
- One extra loop to attach safety lanyard.



## Consolated gauges (with pressure gauge and depth gauge)

### NTS-G102

- A compact design with the combination of pressure gauge and depth gauge;
- Two extra loops on both sides to attach safety lanyard;
- The built in pressure gauge is 300 bar model adapting to 200bar and 300bar technology, and red zone between 50bar and 0bar for increased safety; The built in depth gauge is 70m linear scale with maximum depth indicator for easy logging the maximum depth.



## Consolated gauges (with pressure gauge, depth gauge and compass)

### NTS-G103

- A compact design with the combination of pressure gauge, depth gauge and compass;
- Two extra loops on both sides to attach safety lanyard;
- The built in pressure gauge is 300 bar model adapting to 200bar and 300bar technology, and red zone between 50bar and 0bar for increased safety; The built in depth gauge is 70m linear scale with maximum depth indicator for easy logging the maximum depth; The compass is set on the back side and easy to figure out and to read.



## Compass

### NTS-GS1

- Wrist compass, light weight and handy;
- The compass scale is easy to figure out.



## Depth Gauge

### NTS-GS2

- Wrist depth gauge, lightweight and handy;
- 70m linear scale with maximum depth indicator for easy logging the maximum depth.

